

Referencias

- [Accenture, 2006] Accenture. *La difusión del español en Internet*, Burgos: Fundación Caja de Burgos, 2006, 95 pp.
- [Allen, 2002] J. W. Allen, R. J. Finch, M. G. Coleman, L. K. Nathanson, N. A. O'Rourke y G. A. Fielding, "The Poor Quality of Information about Laparoscopy on the World Wide Web as Indexed by Popular Search Engines", *Surgical Endoscopy*, vol. 16, nro. 1, pp. 170-172, enero de 2002.
- [Atkinson, 1987] Bill Atkinson, "HyperCard", Version 1.0.1, M0556 / 690-5181-A, Apple Computer, Cupertino, CA, 1987.
- [Auer, 2007] Sören Auer, Christian Bizer, Georgi Kobilarov, Jens Lehmann, Richard Cyganiak y Zachary Ives, "Dbpedia: A nucleus for a web of open data", *Proceedings of 6th International Semantic Web Conference, 2nd Asian Semantic Web Conference, ISWC 2007 + ASWC 2007*, noviembre de 2008, pp. 722-735.
- [Baeza, 1999] Ricardo Baeza-Yates y Berthier Ribiero-Neto, *Modern Information Retrieval*, Nueva York: Addison Wesley (ACM Press), 1999, 544 pp.
- [Bedell, 2004] Susanna E. Bedell, Abha Agrawal, Lauren E. Petersen, "A systematic critique of diabetes on the World Wide Web for patients and their physicians," *International Journal of Medical Informatics*, vol. 73, nro. 9, pp. 687-694, septiembre de 2004.
- [Benajiba, 2007] Yassine Benajiba, Paolo Rosso y José Benedíruiz, "ANERSys: An Arabic Named Entity Recognition System Based on Maximum Entropy", *Lecture Notes in Computer Science (CICLing-2007)*, vol. 4394, 2007, pp. 143-153.
- [Bennett, 1997] Scott W Bennett, Chinatsu Aone y Craig Lovell, "Learning to tag multilingual texts through observation", *Proceedings of the Second Conference on Empirical Methods in Natural Language Processing*, 1997, pp. 109-116.
- [Berners-Lee, 1980] Timothy J. Berners-Lee, "The ENQUIRE System. Short Description", European Organisation for Nuclear Research, octubre de 1980.
- [Berners-Lee, 1989] Timothy J. Berners-Lee, "Information Management: A Proposal", Propuesta interna de proyecto, CERN, 1989.
- [Berners-Lee, 2001] Timothy J. Berners-Lee, James Hendler y Ora Lassila, "The Semantic Web", *Scientific American*, vol. 284, nro. 5, pp. 34-43, mayo de 2001.
- [Bikel, 1997] Daniel M. Bikel, Scott Miller, Richard M. Schwartz y Ralph M. Weischedel, "Nymble: a High-Performance Learning Name-finder", *Proceedings of the Fifth Conference on Applied Natural Language Processing*, 1997, pp. 194-201.

- [Black, 1998] William J. Black, Fabio Rinaldi y Mowatt, David, "FACILE: Description of the NE System Used for MUC-7", *Proceedings of the 7th Message Understanding Conference (MUC-7)*, 1998.
- [Blume, 2005] Matthias Blume, "Automatic Entity Disambiguation: Benefits to NER, Relation Extraction, Link Analysis, and Inference", *First International Conference on Intelligence Analysis*, 2005.
- [Bogers, 2004] Toine Bogers. "Dutch named entity recognition: Optimizing features, algorithms and output", tesis de maestría, Tilburg University, Holanda, 2004.
- [Bollacker, 2007] Kurt Bollacker, Patrick Tufts, Tomi Pierce y Robert Cook, "A Platform for Scalable, Collaborative, Structured Information Integration", *Sixth International Workshop on Information Integration on the Web, Association for the Advancement of Artificial Intelligence (AAAI-07)*, 2007, pp. 22-27.
- [Bontcheva, 2002] Kalina Bontcheva, Marin Dimitrov, Diana Maynard, Valentin Tablan y Hamish Cunningham, "Shallow Methods for Named Entity Coreference Resolution", *Proceedings of the TALN'02: Traitement Automatique des Langues Naturelles*, 2002, pp. 24-32.
- [Borthwick, 1999] Andrew Borthwick, "A Maximum Entropy Approach to Named Entity Recognition", tesis doctoral, New York University, EE.UU., septiembre de 1999.
- [Brunstein, 2002] Ada Brunstein, "Annotation guidelines for answer types", BBN Technologies, LDC2005T33, 2002.
- [Bunescu, 2006] Razvan Bunescu y Marius Pasca, "Using Encyclopedic Knowledge for Named Entity Disambiguation", *Proceedings of the 11th Conference of the EACL*, 2006, pp 9-16.
- [Bush, 1945] Vannevar Bush, "As We May Think", *The Atlantic Monthly*, vol. 176, nro. 1, pp. 101-108, julio de 1945.
- [Byrne, 2007] Kate Byrne. "Nested Named Entity Recognition in historical archive text", *Proceedings of the first IEEE International Conference on Semantic Computing (ICSC 2007)*, 2007, pp. 589-596.
- [Carpenter, 2006] Bob Carpenter, "Character Language Models for Chinese Word Segmentation and Named Entity Recognition", *Proceedings of the 5th International Chinese Language Processing Workshop (SIGHAN)*, 2006, pp. 169-172.
- [Carreras, 2002] Xavier Carreras, Lluís Márques y Lluís Padró, "Named Entity Extraction using AdaBoost", *Proceedings of CoNLL-2002*, 2002, pp. 167-170.
- [Chinchor, 1995] Nancy Chinchor, "Named Entity Task Definition (Version 2.1)", *Proceedings of the Sixth Message Understanding Conference (MUC-6)*, 1995, pp. 317-332.

- [Ciravegna, 2003] Fabio Ciravegna, Alexiei Dingli, David Guthrie y Yorick Wilks, “Integrating information to bootstrap information extraction from web sites”, *Proceedings of IJCAI-03 Workshop on Information Integration on the Web (IIWeb-03)*, 2003, pp. 9-14.
- [Corbett, 2007] Peter Corbett, Colin Batchelor y Simone Teufel, “Annotation of chemical named entities”, *BioNLP 2007: Biological, translational, and clinical language processing*, 2007, pp. 57-64.
- [Cucchiarelli, 1998] Alessandro Cucchiarelli, Danilo Luzi y Paola Velardi. “Automatic semantic tagging of unknown proper names”, In *Proceedings of the 36th Annual Meeting of the Association for Computational Linguistics and Proceedings of the 17th International Conference on Computational Linguistics*, 1998, pp. 286-292.
- [Cucerzan, 1999] Silviu Cucerzan y David Yarowsky, “Language independent named entity recognition combining morphological and contextual evidence”, *Proceedings of the Joint SIGDAT Conference on EMNLP and VLC*, 1999, pp. 90-99.
- [Cucerzan, 2007] Silviu Cucerzan, “Large-scale named entity disambiguation based on Wikipedia data”, *Proceedings of the Joint Conference on EMNLP and CNLL*, 2007, pages 708–716.
- [Cunningham, 2002] Hamish Cunningham, Diana Maynard, Kalina Bontcheva y Valentin Tablan, “GATE: A Framework and Graphical Development Environment for Robust NLP Tools and Applications”, *Proceedings of the 40th Anniversary Meeting of the Association for Computational Linguistics (ACL'02)*, julio de 2002, pp. 168-175.
- [De Meulder, 2001] Fien De Meulder, Walter Daelemans y Véronique Hoste, “A Named Entity Recognition System for Dutch”, *Computational Linguistics in the Netherlands 2001: Selected Papers from the Twelfth CLIN Meeting*, 2002, pp. 77-88.
- [Demiros, 2000] Iason Demiros, Sotiris Boutsis, Voula Giouli, Maria Liakata, Harris Papageorgiou y Stelios Piperidis, “Named Entity Recognition in Greek Texts”, *Proceedings of the 2nd International Conference on Language Resources and Evaluation (LREC-2000)*, 2000, pp.1223-1228.
- [Dimitrova, 2003] Nevenka Dimitrova, Angel Janevski, Dongge Li y John Zimmerman, “Who's that actor?: The InfoSip TV agent”, *ETP '03: Proceedings of the 2003 ACM SIGMM workshop on Experiential telepresence*, 2003, pp. 76-79.
- [Dondio, 2007] Pierpaolo Dondio y Stephen Barret, “Computational Trust in Web Content Quality: A Comparative Evaluation on the Wikipedia Project”, *Informatica*, vol. 31, nro. 2, pp. 151-160, junio de 2007.
- [Dowman, 2005] Mike Dowman, Valentin Tablan, Hamish Cunningham y Borislav Popov, “Content Augmentation for Mixed-Mode News Broadcasts”, *Proceedings of the Third European Conference on Interactive Television: User Centred ITV Systems, Programmes and Applications*, 2005.

- [Dzbor, 2003] Martin Dzbor, John Domingue y Enrico Motta, “Magpie - Towards a semantic web browser”, *Proceedings of the Second International Semantic Web Conference*, 2003, pp. 10-11.
- [El-Betalgy, 2001] Samhaa R. El-Beltagy, Wendy Hall, David De Roure y Leslie Carr, “Linking in Context”, *Proceedings of the Twelfth ACM Conference on Hypertext and Hypermedia (Hypertext '01)*, 2001, pp. 151-160.
- [Engelbart, 1962] Douglas C. Engelbart, “Augmenting Human Intellect: A Conceptual Framework”, Summary Report AFOSR-3223 under Contract AF 49(638)-1024, SRI Project 3578 for Air Force Office of Scientific Research, Stanford Research Institute, Menlo Park, CA, octubre de 1962.
- [Engelbart, 1968] Douglas C. Engelbart y William K. English, “A Research Center for Augmenting Human Intellect”, *AFIPS Conference Proceedings of the 1968 Fall Joint Computer Conference*, vol. 33, 1968, pp. 395-410.
- [Erdmann, 2000] Michael Erdmann, Alexander Maedche, Hans-Peter Schnurr y Steffen Staab, “From manual to semi-automatic semantic annotation: About ontology-based text annotation tools”, *Proceedings of the COLING 2000 Workshop on Semantic Annotation and Intelligent Content*, 2000, pp. 79-86.
- [Estabrook, 2007] Leigh Estabrook, Evans Witt y Lee Rainie, “Information Searches That Solve Problems: How people use the internet, libraries and government agencies when they need help”, informe, Pew Internet & American Life Project, pp. III-33, 30 de diciembre de 2007. Disponible en: http://www.pewinternet.org/pdfs/Pew_UI_LibrariesReport.pdf. Consultado el 03 de febrero de 2009.
- [Eysenbach, 2002] Gunther Eysenbach, John Powell, Oliver Kuss y Eun-Ryoung Sa, “Empirical studies assessing the quality of health information for consumers on the World Wide Web: a systematic review”. *The Journal of the American Medical Association*, vol. 287, nro. 20, pp. 2691-2700, mayo de 2002.
- [Fallows, 2008] Deborah Fallows, “Search Engine Use”, memo, Pew Internet & American Life Project, pp. 1-6, 6 de agosto de 2008. Disponible en: http://www.pewinternet.org/pdfs/PIP_Search_Aug08.pdf. Consultado el 03 de octubre de 2008.
- [Farmakiotou, 2000] Dimitra Farmakiotou, Vangelis Karkaletsis, John Koutsias, George Sigletos, Constantine D. Spyropoulos y Panagiotis Stamatopoulos, “Rule-based Named Entity Recognition for Greek Financial Texts”, *Proceedings of the Workshop on Computational Lexicography and Multimedia Dictionaries (COMLEX 2000)*, 2000, pp. 75-78.
- [Federico, 2002] Marcello Federico, Nicola Bertoldi y Vanessa Sandrini, “Bootstrapping named entity recognition for Italian broadcast news”, *Proceedings of the 2002 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, julio de 2002, pp. 296-303.
- [Fellbaum, 1998] Christiane Fellbaum (ed.), *WordNet: An Electronic Lexical Database*. Cambridge, MA: MIT Press, 1998, 422 pp.

- [Fernández García, 2007] Norberto Fernández García, Jose María Blazquez del Toro, Luis Sanchez Fernández y Ansgar Bernardi, "IdentityRank: Named Entity Disambiguation in the Context of the NEWS Project", *4th European Semantic Web Conference*, 2007, pp. 640-654.
- [Florian, 2003] Radu Florian, Abe Ittycheriah, Hongyan Jing y Tong Zhang, "Named Entity Recognition through Classifier Combination", *Proceedings of CoNLL-2003*, 2003, pp. 168-171.
- [Fluit, 2002] Christiaan Fluit y. Jeroen Wester, "Using visualization for information management tasks", *Proceedings of the Sixth International Conference on Information Visualisation*, IEEE, 2002, pp. 447-454.
- [Gao, 2005] Jianfeng Gao, Mu Li, Andi Wu y Chang-Ning Huang, "Chinese word segmentation and named entity recognition: A pragmatic approach", *Computational Linguistics*, vol. 31, nro. 4, pp. 531-574, 2005.
- [Garrett, 2005] Jesse James Garrett, "AJAX: A New Approach to Web Applications", 18 de febrero de 2005. Disponible en: <http://www.adaptivepath.com/ideas/essays/archives/000385.php>. Consultado el 02 de febrero de 2009.
- [Geleijnse, 2006] Gijs Geleijnse, Jan Korst y Verus Pronk, "Google-based Information Extraction, Finding John Lennon and Being John Malkovich", *Proceedings of the Sixth Dutch-Belgian Information Retrieval workshop (DIR 2006)*, marzo de 2006, pp. 39-46.
- [Giles, 2005] Jim Giles, "Internet encyclopaedias go head to head", *Nature*, vol. 438, nro. 7070, pp. 900-901, diciembre de 2005.
- [Gruber, 1993] Thomas R. Gruber, "A translation approach to portable ontologies", *Knowledge Acquisition*, vol. 5, nro. 2, pp. 199-220, 1993.
- [Hammond, 2002] Brian Hammond, Amit Sheth y Krzysztof Kochut, "Semantic Enhancement Engine: A Modular Document Enhancement Platform for Semantic Applications over Heterogeneous Content", *Real World Semantic Web Applications*, vol 92, pp. 29-49, 2002.
- [Harris, 2007] Robert Harris, "Evaluating Internet Research Sources", 15 de junio de 2007. Disponible en: <http://www.virtualsalt.com/evalu8it.htm>. Consultado el 03 de octubre de 2008.
- [Hendler, 2001] James A. Hendler, "STEP 2: Simple HTML Ontology Markup", 11 de mayo de 2001. Disponible en: <http://www.cs.umd.edu/users/hendler/sciam/step2.html> Consultado el 10 de junio de 2008.
- [Herrera-Viedma, 2004] Enrique Herrera-Viedma, "Fuzzy Qualitative Models to Evaluate the Quality on the Web", *Lecture Notes in Artificial Intelligence*, vol. 3131, pp. 15-27, 2004.

- [iProspect, 2006] “iProspect Search Engine User Behavior Study (April 2006)”, iProspect.com, Inc., informe técnico, pp. 1-16, abril de 2006. Disponible en: http://www.iprospect.com/premiumPDFs/WhitePaper_2006_SearchEngineUserBehavior.pdf. Consultado el 20 de junio de 2008.
- [Isbell, 2007] Jonathan Isbell y Mark H. Butler. “Extracting and Re-using Structured Data from Wikis”, *Hewlett-Packard Technical Report HPL-2007-182*, 14 de noviembre de 2007, 22 pp.
- [Isozaki, 2001] Hideki Isozaki, “Japanese Named Entity Recognition based on a Simple Rule Generator and Decision Tree Learning”, *Proceedings of ACL-2001*, 2001, pp.306-313.
- [Janevski, 2000] Angel Janevski, “UniversityIE: Extracting Information From University Web Pages”, tesis de maestría, University of Kentucky, EE.UU., 2000.
- [Janevski, 2002] Angel Janevski y Nevenka Dimitrova, “Web Information Extraction for Content Augmentation”, *Proceedings of the ICME'02: International Conference of Multimedia and Expo*, 2002, pp 389-392.
- [Jansen, 2006] Bernard J. Jansen, Amanda Spink, “How are we searching the world wide web? A comparison of nine search engine transaction logs”, *Information Processing & Management*, vol. 42, nro. 1, pp. 248-263, enero de 2006.
- [Jiménez, 2001] Marisa Jiménez, “Generation of Named Entities”, *Proceedings of the MT Summit VIII*, 2001, pp. 175-179.
- [Jones, 2003] Lance Jones. “Web Site Usability White Paper”, informe, SpireMedia, 14 de enero de 2003. Disponible en: http://www.spiremedia.com/spiremedia2k5/documents/spire_usability.pdf. Consultado el 02 de febrero de 2009.
- [Karkaletsis, 1999] Vangelis Karkaletsis, Georgios Paliouras, Georgios Petasis, Natasa Manousopoulou y Constantine D. Spyropoulos, “Named-Entity Recognition from Greek and English Texts”, *Journal of Intelligent and Robotic Systems*, vol. 26, nro. 2, pp. 123-135, 1999.
- [Kincaid, 1975] J. Peter Kincaid, Robert P. Fishburn, Jr., Richard L. Rogers, y Brad S. Chissom, “Derivation of new readability formulas for Navy enlisted personnel”, *Research Branch Report 8-75*, Naval Air Station Memphis, Millington, Tennessee, 40 pp., 1975.
- [Kozareva, 2006] Zornitsa Kozareva, “Bootstrapping Named Entity Recognition with Automatically Generated Gazetteer Lists”, *Proceedings of EACL student session (EACL 2006)*, 2006, pp. 15-21.
- [Kozareva, 2007] Zornitsa Kozareva y Andres Montoyo. “UniAli: Building a Resource Independent System for Italian Named Entity Recognition”, *Rivista dell'Associazione Italiana per l'Intelligenza Artificiale AI*IA, (EVALITA 2007)*, vol. 4, nro. 2, pp. 73-74, 2007.

- [Lamarca Lapuente, 2007] María Jesús Lamarca Lapuente, “Hipertexto, el nuevo concepto de documento en la cultura de la imagen”, tesis doctoral, Universidad Complutense de Madrid, España, 2007.
- [Landow, 1995] George P. Landow, *Hipertexto: La convergencia de la teoría crítica contemporánea y la tecnología*, Hipermedia 2, Barcelona: Paidós, 1995, 284 pp.
- [Lee, 2005] Seungwoo Lee y Gary Geunbae Lee. “A bootstrapping approach for geographic named entity annotation”, *Lecture Notes in Computer Science (AIRS20004)*, vol. 3411, pp 178-189, febrero de 2005.
- [Li, 2004] Xin Li, Paul Morie y Dan Roth, “Robust reading: Identification and tracing of ambiguous names”, *Proceedings of the Annual Meeting of the North American Association of Computational Linguistics (NAACL)*, 2004, pp. 17–24.
- [Lucarelli, 2007] Georgios Lucarelli, Xenofon Vasilakos y Ion Androutsopoulos, “Named Entity Recognition in Greek Texts with an Ensemble of SVMs and Active Learning”, *International Journal on Artificial Intelligence Tools*, vol. 16, nro. 6, pp. 1015-1045, 2007.
- [Lyman, 2003] Peter Lyman, Hal R. Varian, Peter Charles, Nathan Good, Laheem L. Jordan y Joyojeet Pal, “How much information? 2003”, *School of Information Management and Systems, University of California*, 2003. Disponible en: <http://www2.sims.berkeley.edu/research/projects/how-much-info-2003/>. Consultado el 20 de enero de 2009.
- [Maes, 1994] Pattie Maes, “Agents that reduce work and information overload”, *Communications of the ACM archive*, vol. 37, nro. 7, pp. 30-40, julio de 1994.
- [Maglio, 2000] Paul P. Maglio y Stephen Farrell, “LiveInfo: Adapting web experience by customization and annotation”, *Lecture Notes In Computer Science (AH 2000)*; vol. 1892, pp. 144-154, agosto de 2000.
- [Magnini, 2002] Bernardo Magnini, Matteo Negri, Roberto Prevete y Hristo Tanev, “A Wordnet-based Approach to Named-Entites Recognition”, *Proceedings of SemaNet '02: Building and Using Semantic Networks*, agosto de 2002, pp. 38–44.
- [Maloney, 1998] John Maloney y Michael Niv, “TAGARAB: A fast, accurate Arabic name recognizer using high-precision morphological analysis”, *Proceedings of COLING-ACL Workshop on Computational Approaches to Semitic Languages*, agosto de 1998, pp. 8-15.
- [Martin-Facklam, 2004] Meret Martin-Facklam, Michael Kostrzewa, Peter Martin, Walter E. Haefeli, “Quality of drug information on the World Wide Web and strategies to improve pages with poor information quality. An intervention study on pages about sildenafil”, *British Journal of Clinical Pharmacology*, vol. 57, nro. 1, pp. 80-85, enero de 2004.

- [Maynard, 2001] Diana Maynard, Valentin Tablan, Cristian Ursu, Hamish Cunningham y Yorick Wilks, "Named entity recognition from diverse text types", *Recent Advances in Natural Language Processing 2001 Conference*, 2001, pp. 257-274.
- [McDonald, 1996] David D. McDonald, "Internal and External Evidence in the Identification and Semantic Categorization of Proper Names", *Corpus Processing for Lexical Acquisition*, MIT Press, pp. 61-76, 1993.
- [McLaughlin, 1969] G. Harry McLaughlin, "SMOG Grading - A New Readability Formula", *Journal of Reading*, vol. 12, nro. 8, pp. 639-646.
- [Merchant, 1996] Roberta Merchant, Mary E. Okurowski y Nancy Chinchor, "The Multilingual Entity Task Overview", *Proceedings of the Tipster Text Program Phase II*, 1996, pp. 445-447.
- [Mikheev, 1999_a] Andrei Mikheev, "A knowledge-free method for capitalized word disambiguation", *Proceedings of the 37th annual meeting of the Association for Computational Linguistics on Computational Linguistics*, 1999, pp. 159-166.
- [Mikheev, 1999_b] Andrei Mikheev, Marc Moens y Claire Grover, "Named entity recognition without gazetteers", *Proceedings of the Ninth Conference of the European Chapter of the Association for Computational Linguistics (EACL)*, 1999, pp. 1-8.
- [Mollá, 2006] Diego Mollá, Menno van Zaanen, Daniel Smith, "Named Entity Recognition for Question Answering", *Proceedings of the 2006 Australasian Language Technology Workshop (ALTW2006)*, 2006, pp. 51-58.
- [Mordecai, 2005] Naama Ben Mordecai, "Hebrew Named Entity Recognition", tesis de maestría, Ben Gurion University, Israel, septiembre de 2005.
- [Myers, 1998] Brad A. Myers, "A Brief History of Human Computer Interaction Technology", *ACM interactions*, vol. 5, nro. 2, pp. 44-54, marzo de 1998.
- [Nadeau, 2006] David Nadeau, Peter Turney y Stan Matwin, "Unsupervised Named-Entity Recognition: Generating Gazetteers and Resolving Ambiguity", *Advances in Artificial Intelligence*, pp. 266-277, 2006.
- [Negri, 2004] Matteo Negri y Bernardo Magnini, "Using WordNet Predicates for Multilingual Named Entity Recognition", *Proceedings of the Second Global WordNet Conference*, 2004, pp. 169-174.
- [Nelson, 1965] Theodor H. Nelson, "Complex Information Processing: A File Structure for the Complex, the Changing, and the Indeterminate", *Association for Computing Machinery: Proceedings of the 20th National Conference*, 1965, pp. 84-100.
- [Nelson, 1974] Theodor H. Nelson, *Computer Lib: You can and must understand computers now/Dream Machines: New freedoms through computer screens—a minority report*, Chicago: Hugo's Book Service, 1974.

- [Nielsen, 1990] Jakob Nielsen, *Hypertext and Hypermedia*, San Diego, CA: Academic Press, 1990, 253 pp.
- [Nielsen, 2006] Jakob Nielsen y Hoa Loranger, *Prioritizing Web Usability*, Berkeley, CA: New Riders Press, 2006, 432 pp.
- [Padró, 2005] Montserrat Padró y Lluís Padró, “A named entity recognition system based on a finite automata acquisition algorithm”, *Procesamiento del lenguaje natural*, nro. 35, pp. 319-326, septiembre de 2005.
- [Palmer, 1997] David D. Palmer y David S. Day, “A statistical profile of the named entity task”, *Proceedings of the ACL Conference for Applied Natural Language Processing*, 1997, pp. 190-193.
- [Piper, 2000] Paul S. Piper, “Better read that again: Web hoaxes and misinformation”, *Searcher* 8, vol. 8, pp. 40-49, septiembre de 2000.
- [Popov, 2003] Borislav Popov, Atanas Kiryakov, Damyan Ognyanoff, Dimitar Manov, Angel Kirilov y Miroslav Goranov, “Towards Semantic Web Information Extraction”, *Proceedings of the Second International Semantic Web Conference, Workshop on Human Language Technology for the Semantic Web and Web Services*, octubre de 2003, pp. 1-22.
- [Rose, 2004] Daniel E. Rose, Danny Levinson, “Understanding user goals in web search”, *WWW '04: Proceedings of the 13th international conference on World Wide Web*, ACM Press, 2004, pp. 13-19.
- [Rössler, 2002] Marc Rössler, “Using Markov models for named entity recognition in German newspapers”, *Proceedings of the Workshop on Machine Learning Approaches in Computational Linguistics*, 2002, pp. 29-37.
- [Rössler, 2004] Marc Rössler, “Corpus-based Learning of Lexical Resources for German Named Entity Recognition”, *Proceedings of the Language Resources and Evaluation Conference 2004*, 2004.
- [Saito, 2003] Kuniko Saito y Masaaki Nagata, “Multi-language named-entity recognition system based on HMM”, *Proceedings of the ACL 2003*, vol 15., 2003, pp. 41-48.
- [Salton, 1988] Gerard Salton y Christopher Buckley, “Term-weighting approaches in automatic text retrieval”, *Information Processing & Management*, vol. 24, nro. 5, pp. 513-523, 1988
- [Samy, 2005] Doaa Samy, Antonio Moreno y Jose M. Guirao, “A Proposal for an Arabic Named Entity Tagger Leveraging a Parallel Corpus”, *International Conference RANLP*, 2005, pp. 459-465.
- [Santos, 2006] Diana Santos y Nuno Cardoso, “A Golden Resource for Named Entity Recognition in Portuguese”, *Computational Processing of the Portuguese Language: 7th International Workshop, PROPOR 2006*, 2006, pp. 69-79.

- [Sekine, 1998] Satoshi Sekine, Ralph Grishman y Hiroyuki Shinnou, "A Decision Tree Method for Finding and Classifying Names in Japanese Texts", *Proceedings of the Sixth Workshop on Very Large Corpora*, 1998, pp.148-152.
- [Sekine, 2002] Satoshi Sekine, Kiyoshi Sudo y Chikashi Nobata, "Extended Named Entity Hierarchy", *Proceedings of the Language Resource and Evaluation Conference (LREC)*, 2002, pp. 1818-1824.
- [Settles, 2004] Burr Settles, "Biomedical Named Entity Recognition Using Conditional Random Fields and Rich Feature Sets", *Proceedings of the International Joint Workshop on Natural Language Processing in Biomedicine and its Applications (NLPBA)*, 2004, pages 104-107.
- [Shaalán, 2007] Khaled Shaalan y Hafsa Raza, "Person name entity recognition for arabic", *Proceedings of the 2007 Workshop on Computational Approaches to Semitic Languages: Common Issues and Resources*, junio de 2007, pages 17-24.
- [Sherman, 2001] Chris Sherman y Gary Price, *The Invisible Web: Uncovering Information Sources Search Engines Can't See*, Medford, NJ: Cyberage Books, 2001, 402 pp.
- [Sinclair, 2007] Patrick Sinclair, Paul Lewis y Kirk Martinez, "Dynamic link service 2.0: Using Wikipedia as a linkbase", *Proceedings of the 18th conference on Hypertext and hypermedia (HT '07)*, 2007, pp. 161-162.
- [Sisson, 2003] Derek Sisson, "Assumptions About User Search Behavior. A thoughtful approach to web site quality", junio de 2003. Disponible en: http://www.philosophie.com/search/user_behavior.html. Consultado el 21 de junio de 2008.
- [Solorio, 2005] Tamar Solorio, Aurelio López-López, "Learning Named Entity Recognition in Portuguese from Spanish", *Proceedings of CICLing 2005*, 2005, pp.762-768.
- [Spence, 2000] Robert Spence, *Information Visualization*, Addison Wesley (ACM Press), 2000, 224 pp.
- [Suchanek, 2007] Fabian M. Suchanek, Gjergji Kasneci y Gerhard Weikum, "Yago: A core of semantic knowledge", *WWW '07: Proceedings of the 16th international conference on World Wide Web*, 2007, pp. 697-706.
- [Sundheim, 1995] Beth Sundheim, "Overview of results of the MUC-6 evaluation", *Proceedings of the Sixth Message Understanding Conference (MUC-6)*, 1995, pp. 13-31.
- [Tanabe, 2002] Lorraine Tanabe y W. John Wilbur, "Tagging gene and protein names in biomedical text", *Bioinformatics*, vol. 18, nro. 8, pp. 1124-1132, 2002.
- [Tillman, 2003] Hope N. Tillman, "Evaluating Quality on the Net", marzo de 2003. Disponible en: <http://www.hopetillman.com/findqual.html>. Consultado el 03 de octubre de 2008.

- [Toral, 2005_a] Antonio Toral, Elisa Noguera, Fernando Llopis y Rafael Muñoz, “Improving Question Answering Using Named Entity Recognition”, *Proceedings of the 10th International Conference on applications of Natural Language to Information Systems*, junio de 2005, pp. 181-191.
- [Toral, 2005_b] Antonio Toral, “DRAMNERI: a free knowledge based tool to named entity recognition”, *Proceedings of the 1st Free Software Technologies Conference*, 2005, pp. 27-32.
- [Toral, 2006] Antonio Toral y Rafael Muñoz, “A proposal to automatically build and maintain gazetteers for named entity recognition by using wikipedia”, *Proceedings of the EACL-2006 Workshop on NEW TEXT-Wikis and blogs and other dynamic text sources*, 2006, pp. 56-61.
- [Tri, 2007] Tran Q. Tri, Pham T. X. Thao, Ngo Q. Hung, Dinh Dien y Nigel Collier, “Named entity recognition in Vietnamese documents”, *Progress in Informatics*, nro. 4, pp. 5-13, march de 2007.
- [van Gils, 2007] Bas van Gils, Erik Proper, Patrick van Bommel y Theo P. van der Weide, “On the quality of resources on the web: An information retrieval perspective”, *Information Sciences*, vol. 177, nro. 21, pp. 4566-4597, noviembre de 2007.
- [van Rijsbergen, 1979] Cornelis J. van Rijsbergen. *Information Retrieval*, 2^a ed., Londres: Butterworths, 1979.
- [W3C, 1995] “Hypertext Terms”, World Wide Web Consortium, abril 1995. Disponible en: <http://www.w3.org/Terms.html>. Consultado el 20 de junio de 2008.
- [Wacholder, 1997] Nina Wacholder, Yael Ravin y Misook Choi, “Disambiguation of proper names in text”, *Proceedings of Fifth Conference on Applied Natural Language Processing*, 1997, pp. 202–208.
- [Wacholder, 1997] Nina Wacholder, Yael Ravin y Misook Choi, “Disambiguation of proper names in text”, *Proceedings of the 5th Conference on Applied Natural Language Processing*, 1997, pp. 202-208.
- [Zhou, 2002] Guodong Zhou, Jian Su, “Named Entity Recognition using an HMM-based Chunk Tagger”, *Proceedings of the 40th Annual Meeting on Association for Computational Linguistics (ACL '02)*, julio de 2002, pp. 473-480.
- [Zimmerman, 2003] John Zimmerman, Nevenka Dimitrova, Lalitha Agnihotri, Angel Janevski y Lira Nikolovska, “MyInfo: a Personal News Interface”, *Proceedings of the CHI 2003 Conference on Human Factors in Computing Systems*, 2003, pp. 898-899.